

Submittal Sheet

Submittal Sheet #0020032

GRABBER® Xtek® Metal to Wood Screws (266)

Product:	Item#	Description	Unit Pack
	DMWH138	11 x 1-3/8-in, Modified Pan Head, Hi-Lo, Drivall®, LOX®, Yellow Zinc, Bulk	3,500
	DMWH138G2	11 x 1-3/8-in Modified Pan Head, Hi-Lo, Drivall®, LOX®, GrabberGard, Bulk	3,500
	DMWH238G2	11 x 2-3/8-in, Modified Pan Head, Hi-Lo, Drivall®, LOX®, GrabberGard, Bulk	2,000
	CDMWH138	11 x 1-3/8-in, Modified Pan Head, Hi-Lo, Drivall®, Clear Zinc, Collated	1,000

Screw Series	Designation	Head Type	Nominal Diameter	Nominal Head Diameter	Nominal Gauge- TPI	Nominal Length	Point (No#)	Thread Length	Drilling Capacity Min#	Drilling Capacity Max#	Coating
XteK	Heavy Gauge Steel	High Pan Head	0.203	0.356	#11-15	1.375	Drill #3	1.375	20 ga.	8 ga.	YZ,RG
XteK	Heavy Gauge Steel	High Pan Head	0.203	0.356	#11-15	2.375	Drill #3	2.375	20 ga.	8 ga.	YZ,RG

NOTE: RG = GrabberGard
Y = Yellow Zinc
Z = Clear Zinc

Application: Designed specifically for the application of wood to steel framing members


Description: Grabber Xtek® Metal to Wood Screws has been specifically designed for use with metal up to 14 gauge and wood members. These fasteners have a modified Lox Pan Head to maximize drivability and alternating threads to facilitate maximum holding power in the wood members and minimize strip out. Grabber alternating thread screws are for use in wood and are for use for the attachment of wood to steel from 14 to 20 gauge.

- Available in 1-3/8" and 2-3/8" Lengths
- Yellow Zinc finish per ASTM B117 48hr, RG coating 1000 hr.
- Alternating Threads to maximize holding power in wood.
- RG are GrabberGard-coated for exterior applications


Directions: Use a standard screwgun with a depth-sensitive nose piece. Suggested screwgun specification for optimal performance – 4 amps minimum and RPM range of 0 to 2,500.

- Overdriving may result in failure of the fastener or stripout of the work surface.
- Minimum 2500 rpm 4 amp screwgun recommended
- The fastener must penetrate beyond the metal a minimum of three thread pitches.

Certifications: All GRABBER® screw products are manufactured in facilities that are ISO 9001 certified. ©2012 GRABBER Construction Products, Inc. GRABBER®, STREAKER®, DRIVALL®, LOX®, GRABBERGARD® and SCAVENGER® are registered trademarks of Grabber Construction Products, Inc.



Modified Pan Head Hi-Lo Thread LOX® Recess Screws



SUBMITTAL APPROVALS:

JOB NAME

CONTRACTOR

DATE

TRADEMARKS:

The following trademark used herein is owned by Grabber Construction Products, Inc.: GRABBER.

NOTICE:

We shall not be liable for incidental and consequential damages, directly or indirectly sustained, nor for any loss caused by application of these goods not in accordance with current printed instruction or for other than the intended use. Our Liability is expressly limited to replacement of defective goods. Any claim shall be deemed waived unless made in writing to us within thirty (30) days of the date it was or reasonably should have been discovered.

GRABBER® Xtek® Metal to Wood Screws (266)



PRODUCT SPECIFICATIONS

Fastener Classification	Heavy Gauge Metal (18 or thicker)
Fastener Head	Modified Pan
Fastener Drive	LOX #2, LOX #3
Fastener Gauge	#11
Fastener Point	#2 Drill
Fastener Package Type	Packaged Screws, Collated Screws (for automated feed systems)
Fastener Package Weight	Bulk Box
Fastener TPI	16
Fastener Coating	Yellow Zinc, Clear Zinc, GrabberGard Gray
Fastener Color	Gray, Yellow

STANDARD CORROSION TEST RESULTS

Finish	Test	Standard/Protocol	Results
Gray Phosphate	Salt Spray Results	ASTM B117	24 hours, no red rust
Yellow Zinc	Salt Spray Results	ASTM B117	48 hours, no red rust
Clear Zinc	Salt Spray Results	ASTM B117	24 hours, no red rust
Dracrotized	Salt Spray Results	ASTM B117	500 hours, no red rust
GrabberGard	Salt Spray Results	ASTM B117	1,000 hours, no red rust
GrabberGard	Kesternich Results	DIN 50018, 2.0L	15 cycles, no red rust
304 Stainless Steel	Salt Spray Results	ASTM B117	1000 hours, no red rust
316 Stainless Steel	Salt Spray Results	ASTM B117	1500 hours, no red rust

Grabber's approved mill keeps tight control over all production standards and processes. Grabber's mill is ISO 9001, ISO 14001 and ICC-ES certified compliant ensuring Grabber fasteners meet or exceed the highest industry standards.