

## Submittal Sheet

Submittal Sheet #20051026-S

**SCAVENGER® Head Hi-Lo Streaker® Screws (224)**

Product:	Item#	Description	Unit Pack
	168SHL	6 x 1-in, Scavenger Head, Alternating Thread, Phosphate, Bulk	10,000
	368SHL	6 x 1-1/4-in, Scavenger Head, Alternating Thread, Phosphate, Bulk	8,000
	268SHL	6 x 1-1/8-in, Scavenger Head, Alternating Thread, Phosphate, Bulk	10,000
	468SHL	6 x 1-5/8-in, Scavenger Head, Alternating Thread, Phosphate, Bulk	5,000
	768SHL	7 x 2-in, Scavenger Head, Alternating Thread, Phosphate, Bulk	3,500
	968SHL	8 x 2-1/2-in, Scavenger Head, Alternating Thread, Phosphate, Bulk	2,500
	1168SHL	8 x 3-in, Scavenger Head, Alternating Thread, Streaker®, Phosphate, Bulk	3,000

**Application:** Designed for drywall to light metal or wood applications.

- Drywall to light metal or wood

**Description:** SCAVENGER® head drywall screws with high-low thread configuration. Ideal for attaching drywall into light gauge metal.

- Super sharp 30° STREAKER® Point you get quick and easy penetration into metal studs.
- #2 Phillips recess

**Directions:** Use a standard screwgun with a depth-sensitive nose piece. Suggested screwgun specification for optimal performance – 4 amps minimum and RPM range of 0 to 4,000.

- The Bugle head is fully seated when the head is flush with the work surface.
- Overdriving may result in failure of the fastener or strip out of the work surface.

**Certifications:** All GRABBER® screw products are manufactured in facilities that are ISO 9001 certified. The fasteners comply with the performance requirements of ASTM C1002. ©2012 GRABBER Construction Products, Inc. GRABBER®, STREAKER®, DRIVALL®, LOX®, GRABBERGARD® and SCAVENGER® are registered trademarks of Grabber Construction Products, Inc.

SUBMITTAL APPROVALS:

JOB NAME

CONTRACTOR

DATE

TRADEMARKS:

The following trademark used herein is owned by Grabber Construction Products, Inc.: GRABBER.

NOTICE:

We shall not be liable for incidental and consequential damages, directly or indirectly sustained, nor for any loss caused by application of these goods not in accordance with current printed instruction or for other than the intended use. Our Liability is expressly limited to replacement of defective goods. Any claim shall be deemed waived unless made in writing to us within thirty (30) days of the date it was or reasonably should have been discovered.

## SCAVENGER® Head Hi-Lo Streaker® Screws (224)



### PRODUCT SPECIFICATIONS

Fastener Classification	Light Gauge Metal (20-25)
Fastener Head	Scavenger, Bugle
Fastener Drive	#2 Phillips
Fastener Gauge	#6, #7, #8
Fastener Point	Streaker
Fastener Package Type	Packaged Screws
Fastener Package Weight	1lb Box, 5lb Box, Bulk Box
Fastener TPI	15, 15 (7 high, 8 low)
Fastener Coating	Black/Gray Phosphate, Clear Zinc, GrabberGard

### STANDARD CORROSION TEST RESULTS

Finish	Test	Standard/Protocol	Results
Gray Phosphate	Salt Spray Results	ASTM B117	24 hours, no red rust
Yellow Zinc	Salt Spray Results	ASTM B117	48 hours, no red rust
Clear Zinc	Salt Spray Results	ASTM B117	24 hours, no red rust
Dracrotized	Salt Spray Results	ASTM B117	500 hours, no red rust
GrabberGard	Salt Spray Results	ASTM B117	1,000 hours, no red rust
GrabberGard	Kesternich Results	DIN 50018, 2.0L	15 cycles, no red rust
304 Stainless Steel	Salt Spray Results	ASTM B117	1000 hours, no red rust
316 Stainless Steel	Salt Spray Results	ASTM B117	1500 hours, no red rust

Grabber's approved mill keeps tight control over all production standards and processes. Grabber's mill is ISO 9001, ISO 14001 and ICC-ES certified compliant ensuring Grabber fasteners meet or exceed the highest industry standards.